Produktdatenblatt




GF iFIT Anfaswerkzeug 25

1151134

- Werkstoff: Stahl, Kunststoff





Ausschreibungstexte GF iFIT Anfaswerkzeug

Spezifikation

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for
- environmental and process safety. The iFIT system meets the requirements for the most
- important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Anwendung

- Application area: Cold and hot water, HVAC, greywater
- Installation: Surface and flush-mounted pipes, pipe-in-pipe technology


Zertifikat

- SVGW
- DVGW
- ÖVGW

GF iFIT Anfaswerkzeug 25

1151134





Product code

Item no EAN	7611205886110
Item no GF	762101125
Item no GTIN	07611205886110
Item no LVI	1749433
Item no RSK	1878689

Dimension

Höhe der Artikeleinheit	112
Länge der Artikeleinheit	46
Gewicht der Artikeleinheit	0,252
Breite der Artikeleinheit	46
Item_UOM	St.

Packaging

Verpackung GTIN PL1	06414900062176
Verpackungshöhe PL1	61
Verpackungslänge PL1	130
Verpackungsmenge PL1	1
Verpackungstyp PL1	Base_Box
Verpackungsvolumen PL1	0,00048373
Verpackungsgewicht PL1	0,271
Verpackungsbreite PL1	61

Measurements

Z-Messung d	25

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+