Produktdatenblatt




GF iFIT Anfaswerkzeug 32

1151140

- Werkstoff: Stahl, Kunststoff





Ausschreibungstexte GF iFIT Anfaswerkzeug

Spezifikation

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for
- environmental and process safety. The iFIT system meets the requirements for the most
- important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Anwendung

- Application area: Cold and hot water, HVAC, greywater
- Installation: Surface and flush-mounted pipes, pipe-in-pipe technology


Zertifikat

- SVGW
- DVGW
- ÖVGW

GF iFIT Anfaswerkzeug 32

1151140





Product code

Item no EAN	7611205886127
Item no GF	762101132
Item no GTIN	07611205886127
Item no LVI	1749434
Item no RSK	1878690

Dimension

Höhe der Artikeleinheit	120
Länge der Artikeleinheit	46
Gewicht der Artikeleinheit	0,323
Breite der Artikeleinheit	47
Item_UOM	St.

Packaging

Verpackung GTIN PL1	06414900062183
Verpackungshöhe PL1	64
Verpackungslänge PL1	130
Verpackungsmenge PL1	1
Verpackungstyp PL1	Base_Box
Verpackungsvolumen PL1	0,00051584
Verpackungsgewicht PL1	0,342
Verpackungsbreite PL1	62

Measurements

Z-Messung d	32

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+