
Produktdatenblatt



GF iFIT Handaufsatz 16-32

1151283

- Werkstoff: Metall



Ausschreibungstexte GF iFIT Handaufsatz

Spezifikation

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for
- environmental and process safety. The iFIT system meets the requirements for the most
- important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Anwendung

- Application area: Cold and hot water, HVAC, greywater
- Installation: Surface and flush-mounted pipes, pipe-in-pipe technology


Zertifikat

- SVGW
- DVGW
- ÖVGW

GF iFIT Handaufsatz 16-32

1151283





Product code

Item no EAN	7611205910808
Item no GF	762101361
Item no GTIN	07611205910808

Dimension

Höhe der Artikeleinheit	50
Länge der Artikeleinheit	105
Gewicht der Artikeleinheit	0,05
Breite der Artikeleinheit	50
Item_UOM	St.

Packaging

Verpackung GTIN PL1	06414900062527
Verpackungshöhe PL1	50
Verpackungslänge PL1	115
Verpackungsmenge PL1	1
Verpackungstyp PL1	Base_Box
Verpackungsvolumen PL1	0,0002875
Verpackungsgewicht PL1	0,066
Verpackungsbreite PL1	50

Measurements

Z-Messung d	16 - 32

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+