
Produktdatenblatt



GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 3 - 3 - 2

1153266

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81



Ausschreibungstexte GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt

Spezifikation


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 3 - 3 - 2

1153266



Product code

Item no EAN	7611205415570
Item no GF	770129232
Item no GTIN	07611205415570
Item no RSK	1280050
Item no VVS	004130691

Dimension

Höhe der Artikeleinheit	107
Länge der Artikeleinheit	133
Gewicht der Artikeleinheit	2,16
Breite der Artikeleinheit	150
Item_UOM	St.

Packaging

Verpackung GTIN PL1	06414900572576
Verpackung GTIN PL4	06414900572583
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmaterial (Anzahl) PL1	20
Verpackungsmaterial PL1	corrugated cardboard / cartone
Verpackungsmaterial (kurz) PL1	PAP_C
Verpackungsmenge PL1	2
Verpackungsmenge PL4	108
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet

Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,6998399999999999
Verpackungsgewicht PL1	4,534
Verpackungsgewicht PL4	269,836
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Technische Daten

Recycling Text Block PL1	corrugated cardboard / cartone

Measurements

Z Measurement a	78
Z-Messung b	79
z1	48
Z2	49
Z3	48

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+