Produktdatenblatt



GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 1 - 3/4

1153404

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81



Ausschreibungstexte GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 1 - 3/4

1153404



Product code

Item no EAN	7611205413774
Item no GF	770130240
Item no GTIN	07611205413774
Item no LVI	0855064
Item no NOBB	60638950
Item no NRF	1366682
Item no RSK	1277912
Item no VVS	004130443

Dimension

Höhe der Artikeleinheit	46
Länge der Artikeleinheit	59
Gewicht der Artikeleinheit	0,355
Breite der Artikeleinheit	70
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205213770
Verpackung GTIN PL4	06414900185028
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	30
Verpackungsmenge PL4	1620
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet

Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,69984
Verpackungsgewicht PL1	10,864
Verpackungsgewicht PL4	595,1
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Measurements

Z Measurement a	35
Z-Messung b	36
z1	18
Z2	21
Z3	18

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+