Produktdatenblatt



GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 2 - 1/2

1153444

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81



Ausschreibungstexte GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 2 - 1/2

1153444



Product code

Item no EAN	7611205414665
Item no GF	770130281
Item no GTIN	07611205414665
Item no LVI	0855086
Item no NOBB	60672600
Item no NRF	1387707
Item no RSK	1278183
Item no VVS	004130463

Dimension

Höhe der Artikeleinheit	75
Länge der Artikeleinheit	86
Gewicht der Artikeleinheit	0,71
Breite der Artikeleinheit	76
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205214661
Verpackung GTIN PL4	06414900126946
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	12
Verpackungsmenge PL4	648
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet

Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,69984
Verpackungsgewicht PL1	8,734
Verpackungsgewicht PL4	480,08
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Measurements

Z Measurement a	38
Z-Messung b	48
z1	14
Z2	35
Z3	14

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+