Produktdatenblatt



GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 2 - 3/4

1153446

- Tee, reducing or increasing on the branch, reducing on the run, ISO/EN 81



Ausschreibungstexte GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - T-Stück, reduziert, verzinkt 2 - 3/4

1153446



Product code

Item no EAN	7611205414702
Item no GF	770130283
Item no GTIN	07611205414702
Item no LVI	0855087
Item no NOBB	60638980
Item no NRF	1366712
Item no RSK	1278191
Item no VVS	004130464

Dimension

Höhe der Artikeleinheit	75
Länge der Artikeleinheit	88
Gewicht der Artikeleinheit	0,726
Breite der Artikeleinheit	80
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205214708
Verpackung GTIN PL4	06414900126922
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	385
Verpackungslänge PL4	1200
Verpackungsmenge PL1	25
Verpackungsmenge PL4	675
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet

Verpackungsvolumen PL1	0,019635
Verpackungsband PL4	0,69984
Verpackungsgewicht PL1	18,57
Verpackungsgewicht PL4	510,05
Verpackungsbreite PL1	255
Verpackungsbreite PL4	800

Measurements

Z Measurement a	40
Z-Messung b	50
z1	16
Z2	35
Z3	16

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+