Produktdatenblatt



GF Malleable Fittings 300 - Kappe, schwarz 2 1/2

1154188

- ST ... diese Fittings sind aus Stahl (verzinkt = galvanisch beschichtet) und nicht für Trinkwasserinstallationen geeignet.





Ausschreibungstexte GF Malleable Fittings 300 - Kappe, schwarz

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 300 - Kappe, schwarz 2 1/2

1154188





Product code

Item no EAN	7611205330774
Item no GF	770300110
Item no GTIN	07611205330774
Item no LVI	0755184
Item no RSK	1328988
Item no VVS	004300113

Dimension

Höhe der Artikeleinheit	86
Länge der Artikeleinheit	90
Gewicht der Artikeleinheit	0,703
Breite der Artikeleinheit	44
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205130770
Verpackung GTIN PL4	06414900120692
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	20
Verpackungsmenge PL4	1080
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,69984

Verpackungsgewicht PL1	14,264
Verpackungsgewicht PL4	778,7
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Measurements

Z Measurement a	44
Z-Messung d	2 1/2
Z-MESSUNG S	86

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+