Produktdatenblatt



GF Malleable Fittings 310 - Gegenmutter, schwarz 1/2

1154230

- ST ... diese Fittingtypen sind aus Stahl (verzinkte Ausführung = galvanisch beschichtet).



Ausschreibungstexte GF Malleable Fittings 310 - Gegenmutter, schwarz

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 310 - Gegenmutter, schwarz 1/2

1154230



Measurements

Zylindrisches_Gewinde_G	1/2
Wandstärke_s	32
Z Measurement a	9,0
Z Measurement a	9,0

Product code

Item no EAN	7611205331313
Item no GF	770310104
Item no GTIN	07611205331313
Item no RSK	1315612
Item no VVS	004310104

Dimension

Höhe der Artikeleinheit	32
Länge der Artikeleinheit	37
Gewicht der Artikeleinheit	0,035
Breite der Artikeleinheit	9
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205531317
Verpackung GTIN PL2	07611205131319
Verpackung GTIN PL4	06414900120630
Verpackungshöhe PL1	32
Verpackungshöhe PL2	100
Verpackungshöhe PL4	508
Verpackungslänge PL1	155
Verpackungslänge PL2	260

Verpackungslänge PL4	1200
Verpackungsmenge PL1	10
Verpackungsmenge PL2	150
Verpackungsmenge PL4	10800
Verpackungstyp PL1	Plastic_Bag
Verpackungstyp PL2	Medium_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,0026288
Verpackungsband PL2	0,00494
Verpackungsband PL4	0,48768
Verpackungsgewicht PL1	0,353
Verpackungsgewicht PL2	5,42
Verpackungsgewicht PL4	415,255
Verpackungsbreite PL1	530
Verpackungsbreite PL2	190
Verpackungsbreite PL4	800

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+