Produktdatenblatt



GF Malleable Fittings 310 - Gegenmutter, verzinkt 1/8 STA

1154238

- ST ... diese Fittingtypen sind aus Stahl (verzinkte Ausführung = galvanisch beschichtet).



Ausschreibungstexte GF Malleable Fittings 310 - Gegenmutter, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 310 - Gegenmutter, verzinkt 1/8 STA

1154238



Measurements

Zylindrisches_Gewinde_G	1/8
Wandstärke_s	19
Z Measurement a	7,0
Z Measurement a	7,0

Product code

Item no EAN	7611205431211
Item no GF	770310201
Item no GTIN	07611205431211
Item no RSK	1254046
Item no VVS	004310401

Dimension

Höhe der Artikeleinheit	19
Länge der Artikeleinheit	22
Gewicht der Artikeleinheit	0,013
Breite der Artikeleinheit	7
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205631215
Verpackung GTIN PL2	07611205231217
Verpackung GTIN PL4	06414900241809
Verpackungshöhe PL1	19
Verpackungshöhe PL2	100
Verpackungshöhe PL4	508
Verpackungslänge PL1	135
Verpackungslänge PL2	260

Verpackungslänge PL4	1200
Verpackungsmenge PL1	10
Verpackungsmenge PL2	200
Verpackungsmenge PL4	14400
Verpackungstyp PL1	Plastic_Bag
Verpackungstyp PL2	Medium_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,00135945
Verpackungsband PL2	0,00494
Verpackungsband PL4	0,48768
Verpackungsgewicht PL1	0,14
Verpackungsgewicht PL2	2,713
Verpackungsgewicht PL4	220,347
Verpackungsbreite PL1	530
Verpackungsbreite PL2	190
Verpackungsbreite PL4	800

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+