Produktdatenblatt



GF Malleable Fittings 310 - Gegenmutter, verzinkt 3/8 STA

1154240

- ST ... diese Fittingtypen sind aus Stahl (verzinkte Ausführung = galvanisch beschichtet).



Ausschreibungstexte GF Malleable Fittings 310 - Gegenmutter, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 310 - Gegenmutter, verzinkt 3/8 STA

1154240



Measurements

Zylindrisches_Gewinde_G	3/8
Wandstärke_s	27
Z Measurement a	8,0
Z Measurement a	8,0

Product code

Item no EAN	7611205431273
Item no GF	770310203
Item no GTIN	07611205431273
Item no NOBB	60536280
Item no NRF	1030265
Item no RSK	1321173
Item no VVS	004310403

Dimension

Höhe der Artikeleinheit	27
Länge der Artikeleinheit	32
Gewicht der Artikeleinheit	0,027
Breite der Artikeleinheit	8
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205631277
Verpackung GTIN PL2	07611205231279
Verpackung GTIN PL4	06414900241786
Verpackungshöhe PL1	27
Verpackungshöhe PL2	100
Verpackungshöhe PL4	508

Verpackungslänge PL1	135
Verpackungslänge PL2	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	10
Verpackungsmenge PL2	100
Verpackungsmenge PL4	7200
Verpackungstyp PL1	Plastic_Bag
Verpackungstyp PL2	Medium_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,00193185
Verpackungsband PL2	0,00494
Verpackungsband PL4	0,48768
Verpackungsgewicht PL1	0,273
Verpackungsgewicht PL2	2,847
Verpackungsgewicht PL4	229,953
Verpackungsbreite PL1	530
Verpackungsbreite PL2	190
Verpackungsbreite PL4	800

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+