Produktdatenblatt



GF Malleable Fittings 310 - Gegenmutter, verzinkt 1 1/4

1154244

- ST ... diese Fittingtypen sind aus Stahl (verzinkte Ausführung = galvanisch beschichtet).



Ausschreibungstexte GF Malleable Fittings 310 - Gegenmutter, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 310 - Gegenmutter, verzinkt 1 1/4

1154244



Product code

Item no EAN	7611205431532
Item no GF	770310207
Item no GTIN	07611205431532
Item no LVI	0855207
Item no NOBB	60262105
Item no NRF	1030269
Item no RSK	1315618
Item no VVS	004310410

Dimension

Höhe der Artikeleinheit	56
Länge der Artikeleinheit	64
Gewicht der Artikeleinheit	0,126
Breite der Artikeleinheit	13
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205231538
Verpackung GTIN PL4	06414900241694
Verpackungshöhe PL1	100
Verpackungshöhe PL4	508
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	50
Verpackungsmenge PL4	3600
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet

Verpackungsvolumen PL1	0,00494
Verpackungsband PL4	0,48768
Verpackungsgewicht PL1	6,42
Verpackungsgewicht PL4	473,6
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Measurements

Z Measurement a	13
Z-MESSUNG S	56

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+