Produktdatenblatt



GF Malleable Fittings 536 - Langgewindemuffe, verzinkt 1 102

1154777

- Feuerverzinkt, Gewinde galvanisch beschichtet.



Ausschreibungstexte GF Malleable Fittings 536 - Langgewindemuffe, verzinkt

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 536 - Langgewindemuffe, verzinkt 1 102

1154777



Product code

Item no EAN	7611205456412
Item no GF	770536206
Item no GTIN	07611205456412
Item no RSK	1363786
Item no VVS	004536408

Dimension

Höhe der Artikeleinheit	46
Länge der Artikeleinheit	46
Gewicht der Artikeleinheit	0,257
Breite der Artikeleinheit	100
Item_UOM	St.

Measurements

LÄNGE_L	100
Z Measurement a	65
Z-Messung b	100
Z-Messung d	1

Packaging

Verpackung GTIN PL1	07611205256418
Verpackung GTIN PL4	06414900239042
Verpackungshöhe PL1	200
Verpackungshöhe PL4	729
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	40
Verpackungsmenge PL4	2160

Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,69984
Verpackungsgewicht PL1	10,494
Verpackungsgewicht PL4	575,12
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+