Produktdatenblatt



GF Malleable Fittings 599a - Reguliermuffe, schwarz 1

1154817

- * mit Gegenmutter für Verdrehsicherung
- ** Dichtung (im Lieferumfang enthalten)



Ausschreibungstexte GF Malleable Fittings 599a - Reguliermuffe, schwarz

Spezifikation

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Anwendung

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 599a - Reguliermuffe, schwarz 1

1154817



Measurements

Innengewinde Rp	empty
Z Measurement a	38
Z-Messung b	65
Z-MESSUNG S	12
Z	21

Product code

Item no EAN	7611205359928
Item no GF	770599106
Item no GTIN	07611205359928
Item no RSK	1363800
Item no VVS	004569108

Dimension

Höhe der Artikeleinheit	46
Länge der Artikeleinheit	76
Gewicht der Artikeleinheit	0,53
Breite der Artikeleinheit	88
Item_UOM	St.

Packaging

Verpackung GTIN PL1	07611205159924
Verpackung GTIN PL4	06414900071390
Verpackungshöhe PL1	200
Verpackungshöhe PL4	534
Verpackungslänge PL1	260
Verpackungslänge PL4	1200
Verpackungsmenge PL1	30

Verpackungsmenge PL4	1080
Verpackungstyp PL1	Base_Box
Verpackungstyp PL4	Pallet
Verpackungsvolumen PL1	0,00988
Verpackungsband PL4	0,51264
Verpackungsgewicht PL1	16,114
Verpackungsgewicht PL4	592,4
Verpackungsbreite PL1	190
Verpackungsbreite PL4	800

Technische Dokumente (wie Installationsanleitung etc.)

Dokumente herunterladen

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+