
Fiche produit



GF Malleable Fittings 130 - té, galvanisé 4

1153378



A propos GF Malleable Fittings 130 - té, galvanisé

Spécification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - té, galvanisé 4

1153378





Product code

Item no EAN	7611205413156
Item no GF	770130212
Item no GTIN	07611205413156
Item no LVI	0855097
Item no NOBB	60638992
Item no NRF	1366724
Item no RSK	1276278
Item no VVS	004130416

Dimensions

Article Unité Hauteur	135
Article Unité Longueur	164
Article Poids unitaire	5,2829
Article Unité Largeur	192
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205213152
Emballage GTIN PL4	06414900185288
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	385
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	3
Quantité d'emballage PL4	81
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet

Volume d'emballage PL1	0,019635
Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	16,269
Poids de l'emballage PL4	447,915
Largeur d'emballage PL1	255
Largeur d'emballage PL4	800

Measurements

Z Measurement a	96
Z Measurement a	96
Mesure Z d	4
Z	60

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+