
Fiche produit



GF Malleable Fittings 130 - té, réduit, galvanisé 1 1/4 - 1/2

1153412



A propos GF Malleable Fittings 130 - té, réduit, galvanisé

Spécification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - té, réduit, galvanisé 1 1/4 - 1/2

1153412



Product code

Item no EAN	7611205413989
Item no GF	770130248
Item no GTIN	07611205413989
Item no LVI	0855070
Item no NOBB	60638956
Item no NRF	1366688
Item no RSK	1277995
Item no VVS	004130449

Dimensions

Article Unité Hauteur	55
Article Unité Longueur	66
Article Poids unitaire	0,405
Article Unité Largeur	68
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205213985
Emballage GTIN PL4	06414900184946
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	25
Quantité d'emballage PL4	1350
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet

Volume d'emballage PL1	0,00988
Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	10,334
Poids de l'emballage PL4	566,48
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Measurements

Z Measurement a	34
Mesure Zb	38
z1	15
Z2	25
Z3	15

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+