
Fiche produit



GF Malleable Fittings 130 - té, réduit, galvanisé 1 1/2 - 1

1153432



A propos GF Malleable Fittings 130 - té, réduit, galvanisé

Spécification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - té, réduit, galvanisé 1 1/2 - 1

1153432



Product code

Item no EAN	7611205414405
Item no GF	770130269
Item no GTIN	07611205414405
Item no LVI	0855080
Item no NOBB	60638971
Item no NRF	1366703
Item no RSK	1278100
Item no VVS	004130458

Dimensions

Article Unité Hauteur	62
Article Unité Longueur	77
Article Poids unitaire	0,592
Article Unité Largeur	84
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205214401
Emballage GTIN PL4	06414900127066
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	15
Quantité d'emballage PL4	810
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet

Volume d'emballage PL1	0,00988
Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	9,094
Poids de l'emballage PL4	499,52
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Measurements

Z Measurement a	42
Mesure Zb	46
z1	23
Z2	29
Z3	23

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+