
Fiche produit



GF Malleable Fittings 241 - mamelon réduit, galvanisé 2 - 1/2

1153821





A propos GF Malleable Fittings 241 - mamelon réduit, galvanisé

Spécification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 241 - mamelon réduit, galvanisé 2 - 1/2

1153821





Product code

Item no EAN	7611205425487
Item no GF	770241237
Item no GTIN	07611205425487
Item no LVI	0855134
Item no NOBB	60672611
Item no NRF	1387718
Item no RSK	1319417
Item no VVS	004241463

Dimensions

Article Unité Hauteur	65
Article Unité Longueur	75
Article Poids unitaire	0,4693
Article Unité Largeur	48
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205225483
Emballage GTIN PL4	06414900125031
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	30
Quantité d'emballage PL4	1620
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet

Volume d'emballage PL1	0,00988
Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	14,293
Poids de l'emballage PL4	780,266
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Measurements

Z Measurement a	35
Mesure Zb	48
MESURE Z S	65
Z	35

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+