
Fiche produit



GF Malleable Fittings 241 - mamelon réduit, galvanisé 4 - 2 1/2

1153836





A propos GF Malleable Fittings 241 - mamelon réduit, galvanisé

Spécification

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 241 - mamelon réduit, galvanisé 4 - 2 1/2

1153836





Product code

Item no EAN	7611205425920
Item no GF	770241252
Item no GTIN	07611205425920
Item no NOBB	60672615
Item no NRF	1387722
Item no VVS	004241492

Dimensions

Article Unité Hauteur	120
Article Unité Longueur	138
Article Poids unitaire	1,652
Article Unité Largeur	69
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205225926
Emballage GTIN PL4	06414900124881
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	6
Quantité d'emballage PL4	324
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet
Volume d'emballage PL1	0,00988
Volume d'emballage PL4	0,69984

Poids de l'emballage PL1	10,126
Poids de l'emballage PL4	555,248
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Measurements

Z Measurement a	51
Mesure Zb	69
MESURE Z S	120
Z	42

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+