
Fiche produit



GF Malleable Fittings 372 - union end siège plat, noir 1 1/4

1154555



A propos GF Malleable Fittings 372 - union end siège plat, noir

Spécification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 372 - union end siège plat, noir 1 1/4

1154555



Measurements

Filetage femelle Rp	empty
Z Measurement a	31
Mesure Z d	56,3
MESURE Z S	48
Z	12

Product code

Item no EAN	7611205343927
Item no GF	770372107
Item no GTIN	07611205343927
Item no NOBB	60639263
Item no NRF	1366995
Item no RSK	1261017
Item no VVS	004372110

Dimensions

Article Unité Hauteur	56
Article Unité Longueur	56
Article Poids unitaire	0,173
Article Unité Largeur	31
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205143923
Emballage GTIN PL4	06414900072687
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260

Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	70
Quantité d'emballage PL4	3780
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet
Volume d'emballage PL1	0,00988
Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	12,352
Poids de l'emballage PL4	675,452
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+