
Fiche produit



GF Malleable Fittings 374 - écrou d'union, galvanisé 1 S

1154606



A propos GF Malleable Fittings 374 - écrou d'union, galvanisé

Spécification


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 374 - écrou d'union, galvanisé 1 S

1154606



Product code

Item no EAN	7611205444884
Item no GF	770374206
Item no GTIN	07611205444884
Item no NOBB	60639268
Item no NRF	1367000
Item no RSK	1261061
Item no VVS	004374408

Dimensions

Article Unité Hauteur	55
Article Unité Longueur	62
Article Poids unitaire	0,145
Article Unité Largeur	22
Item_UOM	St.

Packaging

Emballage GTIN PL1	07611205244880
Emballage GTIN PL4	06414900239974
Hauteur d'emballage PL1	200
Hauteur d'emballage PL4	729
Longueur de l'emballage PL1	260
Longueur de l'emballage PL4	1200
Quantité d'emballage PL1	90
Quantité d'emballage PL4	4860
Type d'emballage PL1	Base_Box
Type d'emballage PL4	Pallet
Volume d'emballage PL1	0,00988

Volume d'emballage PL4	0,69984
Poids de l'emballage PL1	13,228
Poids de l'emballage PL4	722,756
Largeur d'emballage PL1	190
Largeur d'emballage PL4	800

Measurements

Z Measurement a	22
Mesure Z d	1
MESURE Z S	55

Technical documents

Télécharger les documents ici

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+