Scheda tecnica



GF Uponor Fit compression coupling 25x2,3-25x2,3

1005294



Informazioni GF Uponor Fit compression coupling

Specifiche

- Mechanical fittings made of brass
- Compression couplings for PE-Xa, PE-RT and multilayer pipes
- Available as straight couplings, elbows and adapters
- Male and female threaded variants available
- Designed for water-based radiant heating systems
- Suitable for installatio

Application

- Radiant heating installations
- Underfloor heating systems
- Pipe connection and extension in heating circuits
- Residential and commercial heating applications

GF Uponor Fit compression coupling 25x2,3-25x2,3

1005294



Product code

Item no EAN	4021598026353
Item no GTIN	04021598026353

Dimensioni

Altezza unità articolo	59
Lunghezza unità articolo	38
Peso unitario dell'articolo	0,026
Larghezza unità articolo	38
Item_UOM	St.

Packaging

GTIN imballaggio PL1	06414900253000
GTIN imballaggio PL2	06414905252053
GTIN imballaggio PL3	06414905252060
Altezza imballo PL1	40
Altezza imballo PL3	190
Lunghezza imballo PL1	200
Lunghezza imballo PL3	300
Quantità imballo PL1	5
Quantità imballo PL3	50
Tipo di imballaggio PL1	Plastic_Bag
Tipo di imballaggio PL3	Box
Volume di imballaggio PL1	0,00048
Volume di imballaggio PL3	0,012255
Peso imballo PL1	0,14
Peso imballo PL3	14
Larghezza imballo PL1	60

Larghezza imballo PL3	215

Measurements

Spessore parete_s	2,3

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+