
Scheda tecnica



GF iFIT tagliatubi 16-32

1151130





Informazioni GF iFIT tagliatubi

Specifiche

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for
- environmental and process safety. The iFIT system meets the requirements for the most
- important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Application

- Application area: Cold and hot water, HVAC, greywater
- Installation: Surface and flush-mounted pipes, pipe-in-pipe technology


Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT tagliatubi 16-32

1151130





Product code

Item no EAN	7611205886141
Item no GF	762101117
Item no GTIN	07611205886141
Item no LVI	1749429
Item no RSK	1878692

Dimensioni

Altezza unità articolo	182
Lunghezza unità articolo	39
Peso unitario dell'articolo	0,386
Larghezza unità articolo	64
Item_UOM	St.

Packaging

GTIN imballaggio PL1	06414900062138
Altezza imballo PL1	84
Lunghezza imballo PL1	186
Quantità imballo PL1	1
Tipo di imballaggio PL1	Base_Box
Volume di imballaggio PL1	0,000640584
Peso imballo PL1	0,428
Larghezza imballo PL1	41

Measurements

Misura Z d	16 - 32

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+