
Scheda tecnica



GF iFIT set corrimano 16-32

1151283





Informazioni GF iFIT set corrimano

Specifiche

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for
- environmental and process safety. The iFIT system meets the requirements for the most
- important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area: Cold and hot water, HVAC, greywater
- Installation: Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT set corrimano 16-32

1151283



Product code

Item no EAN	7611205910808
Item no GF	762101361
Item no GTIN	07611205910808

Dimensioni

Altezza unità articolo	50
Lunghezza unità articolo	105
Peso unitario dell'articolo	0,05
Larghezza unità articolo	50
Item_UOM	St.

Packaging

GTIN imballaggio PL1	06414900062527
Altezza imballo PL1	50
Lunghezza imballo PL1	115
Quantità imballo PL1	1
Tipo di imballaggio PL1	Base_Box
Volume di imballaggio PL1	0,0002875
Peso imballo PL1	0,066
Larghezza imballo PL1	50

Measurements

Misura Z d	16 - 32

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+