Scheda tecnica




GF Instaflex calibro di marcatura 16-63

1152167

- per contrassegnare l'accoppiatore





Informazioni GF Instaflex calibro di marcatura

Specifiche

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety.
- The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.


Application

- Application area Cold and hot water, compressed air, cooling systems
-
- Installation Surface and flush-mounted pipelines

GF Instaflex calibro di marcatura 16-63

1152167





Product code

Item no EAN	7611205823344
Item no GF	761066800
Item no GTIN	07611205823344
Item no RSK	1875277

Dimensioni

Altezza unità articolo	3
Lunghezza unità articolo	66
Peso unitario dell'articolo	0,014
Larghezza unità articolo	59
Item_UOM	St.

Packaging

GTIN imballaggio PL1	06414900065092
Altezza imballo PL1	39
Lunghezza imballo PL1	149
Quantità imballo PL1	1
Tipo di imballaggio PL1	Plastic_Bag
Volume di imballaggio PL1	0,000610155
Peso imballo PL1	0,018
Larghezza imballo PL1	105

Measurements

Misura Z d	16 - 63

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+