Scheda tecnica



GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato 1 1/4

1153156



Informazioni GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato 1 1/4

1153156



Product code

Item no EAN	7611205410094
Item no GF	770098207
Item no GTIN	07611205410094
Item no LVI	0855048
Item no RSK	1261282
Item no VVS	004098410

Dimensioni

Altezza unità articolo	67
Lunghezza unità articolo	82
Peso unitario dell'articolo	1,003
Larghezza unità articolo	135
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205210090
GTIN imballaggio PL4	06414900186186
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	10
Quantità imballo PL4	540
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984

Peso imballo PL1	10,244
Peso imballo PL4	561,62
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s1	48
Spessore parete_s2	67
Misurazione Z b	107
Misura Z d	1 1/4
z1	26

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+