Scheda tecnica



GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato 2

1153158



Informazioni GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 98 - gomito con raccordo, sede conica, zincato 2

1153158



Product code

Item no EAN	7611205410117
Item no GF	770098209
Item no GTIN	07611205410117
Item no LVI	0855050
Item no RSK	1261284
Item no VVS	004098412

Dimensioni

Altezza unità articolo	90
Lunghezza unità articolo	108
Peso unitario dell'articolo	1,9396
Larghezza unità articolo	166
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205210113
GTIN imballaggio PL4	06414900186162
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	385
Lunghezza imballo PL4	1200
Quantità imballo PL1	10
Quantità imballo PL4	270
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,019635
Volume di imballaggio PL4	0,69984

Peso imballo PL1	19,816
Peso imballo PL4	543,692
Larghezza imballo PL1	255
Larghezza imballo PL4	800

Measurements

Spessore parete_s1	67
Spessore parete_s2	90
Misurazione Z b	128
Misura Z d	2
z1	34

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+