

Scheda tecnica



GF Malleable Fittings 102 - gomito con raccordo, sede conica, zincato 1

1153178





Informazioni GF Malleable Fittings 102 - gomito con raccordo, sede conica, zincato

Specifiche


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 102 - gomito con raccordo, sede conica, zincato 1

1153178





Status

Item Available From date	2025-09-05

Product code

Item no EAN	7611205411237
Item no GF	770102206
Item no GTIN	07611205411237
Item no RSK	1261315
Item no VVS	004102408

Dimensioni

Altezza unità articolo	55
Lunghezza unità articolo	82
Peso unitario dell'articolo	0,535
Larghezza unità articolo	88
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205211233
GTIN imballaggio PL4	06414900186056
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	25
Quantità imballo PL4	1350
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988

Volume di imballaggio PL4	0,69984
Peso imballo PL1	13,579
Peso imballo PL4	741,71
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s1	38
Spessore parete_s2	55
Z Measurement a	71
Misurazione Z b	52
Misura Z d	1
Z	54

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+