Scheda tecnica



GF Malleable Fittings 130 - tee, ridotto, zincato 1 - 3/4

1153404



Informazioni GF Malleable Fittings 130 - tee, ridotto, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - tee, ridotto, zincato 1 - 3/4

1153404



Product code

Item no EAN	7611205413774
Item no GF	770130240
Item no GTIN	07611205413774
Item no LVI	0855064
Item no NOBB	60638950
Item no NRF	1366682
Item no RSK	1277912
Item no VVS	004130443

Dimensioni

Altezza unità articolo	46
Lunghezza unità articolo	59
Peso unitario dell'articolo	0,355
Larghezza unità articolo	70
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205213770
GTIN imballaggio PL4	06414900185028
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	30
Quantità imballo PL4	1620
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet

Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	10,864
Peso imballo PL4	595,1
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Z Measurement a	35
Misurazione Z b	36
z1	18
Z2	21
Z3	18

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+