Scheda tecnica



GF Malleable Fittings 130 - tee, ridotto, zincato 1 1/4 - 1 - 1

1153417



Informazioni GF Malleable Fittings 130 - tee, ridotto, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 130 - tee, ridotto, zincato 1 1/4 - 1 - 1

1153417



Status

Item Available From date	2025-09-05

Product code

Item no EAN	7611205414061
Item no GF	770130254
Item no GTIN	07611205414061
Item no LVI	0855074
Item no RSK	1283639
Item no VVS	004130597

Dimensioni

Altezza unità articolo	55
Lunghezza unità articolo	70
Peso unitario dell'articolo	0,446
Larghezza unità articolo	78
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205214067
GTIN imballaggio PL4	06414900184892
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	20
Quantità imballo PL4	1080
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet

Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	9,134
Peso imballo PL4	501,68
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Z Measurement a	40
Misurazione Z b	42
z1	21
Z2	25
Z3	21

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+