
Scheda tecnica



GF Malleable Fittings 180 - croce, uguale, zincato 3/8

1153638



Informazioni GF Malleable Fittings 180 - croce, uguale, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 180 - croce, uguale, zincato 3/8

1153638





Product code

Item no EAN	7611205421823
Item no GF	770180203
Item no GTIN	07611205421823
Item no NOBB	60638998
Item no NRF	1366730
Item no RSK	1300177
Item no VVS	004180403

Dimensioni

Altezza unità articolo	27
Lunghezza unità articolo	50
Peso unitario dell'articolo	0,148
Larghezza unità articolo	50
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205221829
GTIN imballaggio PL4	06414900125895
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	80
Quantità imballo PL4	4320
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988

Volume di imballaggio PL4	0,69984
Peso imballo PL1	12,03
Peso imballo PL4	658,064
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Z Measurement a	25
Misura Z d	3/8
Z	15

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+