Scheda tecnica



GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 1 1/2 1 - 1/4

1153880



Informazioni GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 1 1/2 1 - 1/4

1153880



Product code

Item no EAN	7611205326449
Item no GF	770245130
Item no GTIN	07611205326449
Item no LVI	0755144
Item no NOBB	60639110
Item no NRF	1366842
Item no RSK	1317072
Item no VVS	004245159

Dimensioni

Altezza unità articolo	50
Lunghezza unità articolo	58
Peso unitario dell'articolo	0,282
Larghezza unità articolo	59
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205126445
GTIN imballaggio PL4	06414900122016
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	40
Quantità imballo PL4	2160
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet

Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	11,494
Peso imballo PL4	629,12
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Z Measurement a	59
MISURA Z S	50

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+