Scheda tecnica



GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 2 - 1

1153881



Informazioni GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 2 - 1

1153881



Product code

Item no EAN	7611205326487
Item no GF	770245131
Item no GTIN	07611205326487
Item no NOBB	60639112
Item no NRF	1366844
Item no RSK	1317130
Item no VVS	004245165

Dimensioni

Altezza unità articolo	65
Lunghezza unità articolo	73
Peso unitario dell'articolo	0,508
Larghezza unità articolo	68
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205126483
GTIN imballaggio PL4	06414900122009
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	25
Quantità imballo PL4	1350
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988

Volume di imballaggio PL4	0,69984
Peso imballo PL1	12,902
Peso imballo PL4	705,125
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s	65
Z Measurement a	68
Z Measurement a	68

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+