Scheda tecnica



GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 4 - 3

1153888



Informazioni GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 245 - nipplo esagonale, ridotto, nero 4 - 3

1153888



Product code

Item no EAN	7611205326630
Item no GF	770245138
Item no GTIN	07611205326630
Item no RSK	1316327
Item no VVS	004245193

Dimensioni

Altezza unità articolo	119
Lunghezza unità articolo	137
Peso unitario dell'articolo	1,8208
Larghezza unità articolo	93
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205126636
GTIN imballaggio PL4	06414900121934
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	385
Lunghezza imballo PL4	1200
Quantità imballo PL1	12
Quantità imballo PL4	324
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,019635
Volume di imballaggio PL4	0,69984
Peso imballo PL1	22,27

Peso imballo PL4	609,939
Larghezza imballo PL1	255
Larghezza imballo PL4	800

Measurements

Spessore parete_s	120
Z Measurement a	96
Z Measurement a	96

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+