
Scheda tecnica



GF Malleable Fittings 245 - nipplo esagonale, ridotto, zincato 3 - 2

1153910



Informazioni GF Malleable Fittings 245 - nipplo esagonale, ridotto, zincato

Specifiche


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 245 - nipplo esagonale, ridotto, zincato 3 - 2

1153910



Product code

Item no EAN	7611205426590
Item no GF	770245236
Item no GTIN	07611205426590
Item no NOBB	60639122
Item no NRF	1366854
Item no RSK	1318013
Item no VVS	004245480

Dimensioni

Altezza unità articolo	95
Lunghezza unità articolo	108
Peso unitario dell'articolo	1,0956
Larghezza unità articolo	83
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205226596
GTIN imballaggio PL4	06414900124652
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	8
Quantità imballo PL4	432
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988

Volume di imballaggio PL4	0,69984
Peso imballo PL1	8,979
Peso imballo PL4	493,299
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s	95
Z Measurement a	83
Z Measurement a	83

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+