Scheda tecnica



GF Malleable Fittings 260 - manicotto eccentric, ridotto, nero 2 - 1/2

1153981



Informazioni GF Malleable Fittings 260 - manicotto eccentric, ridotto, nero

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 260 - manicotto eccentric, ridotto, nero 2 - 1/2

1153981



Product code

Item no EAN	7611205327323
Item no GF	770260125
Item no GTIN	07611205327323
Item no RSK	1363724
Item no VVS	004260163

Dimensioni

Altezza unità articolo	75
Lunghezza unità articolo	75
Peso unitario dell'articolo	0,457
Larghezza unità articolo	65
Item_UOM	St.

Measurements

Filettatura metrica M	20,0
Z Measurement a	65
Z	28

Packaging

GTIN imballaggio PL1	07611205127329
GTIN imballaggio PL4	06414900121613
Altezza imballo PL1	200
Altezza imballo PL4	534
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	25
Quantità imballo PL4	900
Tipo di imballaggio PL1	Base_Box

Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,51264
Peso imballo PL1	11,639
Peso imballo PL4	431,3
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+