Scheda tecnica



GF Malleable Fittings 290 - tappo, bordato, zincato 1 1/4

1154118





Informazioni GF Malleable Fittings 290 - tappo, bordato, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 290 - tappo, bordato, zincato 1 1/4

1154118





Product code

Item no EAN	7611205429737
Item no GF	770290207
Item no GTIN	07611205429737
Item no LVI	0855190
Item no NOBB	60639179
Item no NRF	1366911
Item no RSK	1254010
Item no VVS	004290410

Dimensioni

Altezza unità articolo	45
Lunghezza unità articolo	49
Peso unitario dell'articolo	0,235
Larghezza unità articolo	47
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205229733
GTIN imballaggio PL4	06414900123754
Altezza imballo PL1	200
Altezza imballo PL4	534
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	70
Quantità imballo PL4	2520
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet

Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,51264
Peso imballo PL1	16,671
Peso imballo PL4	612,452
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Misura Z d	1 1/4
MISURA Z S	22

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+