
Scheda tecnica



GF Malleable Fittings 329 - flangia filettata, forata, 4 holes, zincato 1 1/4

1154302





Informazioni GF Malleable Fittings 329 - flangia filettata, forata, 4 holes, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 329 - flangia filettata, forata, 4 holes, zincato 1 1/4

1154302





Product code

Item no EAN	7611205434915
Item no GF	770329207
Item no GTIN	07611205434915
Item no RSK	1254108
Item no VVS	004328410

Dimensioni

Altezza unità articolo	140
Lunghezza unità articolo	140
Peso unitario dell'articolo	1,764
Larghezza unità articolo	26
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205234911
GTIN imballaggio PL4	06414900241359
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	10
Quantità imballo PL4	540
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	17,854

Peso imballo PL4	972,56
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Z Measurement a	60
Misurazione Z b	17
Misura Z d	140
Z Measurement H	26
Z Misura k	100
Z	7

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+