
Scheda tecnica



GF Malleable Fittings 340 - raccordo sede conica, nero 3/8

1154382



Informazioni GF Malleable Fittings 340 - raccordo sede conica, nero

Specifiche


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 340 - raccordo sede conica, nero 3/8

1154382



Product code

Item no EAN	7611205338091
Item no GF	770340103
Item no GTIN	07611205338091
Item no LVI	0755189
Item no RSK	1260629
Item no VVS	004340103

Dimensioni

Altezza unità articolo	32
Lunghezza unità articolo	35
Peso unitario dell'articolo	0,116
Larghezza unità articolo	48
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205138097
GTIN imballaggio PL4	06414900119832
Altezza imballo PL1	100
Altezza imballo PL4	508
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	40
Quantità imballo PL4	2880
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00494
Volume di imballaggio PL4	0,48768

Peso imballo PL1	4,74
Peso imballo PL4	352,64
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s1	22
Spessore parete_s2	32
Spessore parete s3	*12
Z Measurement a	48
Misura Z d	3/8
z1	28

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+