

Scheda tecnica



GF Malleable Fittings 344 - raccordo sede conica, nero 1 1/4

1154459





Informazioni GF Malleable Fittings 344 - raccordo sede conica, nero

Specifiche


- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.


Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 344 - raccordo sede conica, nero 1 1/4

1154459





Product code

Item no EAN	7611205339487
Item no GF	770344107
Item no GTIN	07611205339487
Item no RSK	1260914
Item no VVS	004344110

Dimensioni

Altezza unità articolo	67
Lunghezza unità articolo	74
Peso unitario dell'articolo	0,859
Larghezza unità articolo	114
Item_UOM	St.

Packaging

GTIN imballaggio PL1	07611205139483
GTIN imballaggio PL4	06414900073080
Altezza imballo PL1	200
Altezza imballo PL4	534
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	15
Quantità imballo PL4	540
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,51264
Peso imballo PL1	13,095

Peso imballo PL4	483,698
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Measurements

Spessore parete_s1	48
Spessore parete_s2	67
Spessore parete s3	48
Misurazione Z b	114
Misura Z d	1 1/4

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+