Scheda tecnica



GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 1/2 80

1154775



Informazioni GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 1/2 80

1154775



Product code

Item no EAN	7611205456399
Item no GF	770536204
Item no GTIN	07611205456399
Item no RSK	1363784
Item no VVS	004536404

Dimensioni

Altezza unità articolo	32
Lunghezza unità articolo	32
Peso unitario dell'articolo	0,125
Larghezza unità articolo	80
Item_UOM	St.

Measurements

LUNGHEZZA_L	80
Z Measurement a	50
Misurazione Z b	80
Misura Z d	1/2

Packaging

GTIN imballaggio PL1	07611205256395
GTIN imballaggio PL4	06414900239066
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	80

Quantità imballo PL4	4320
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	10,214
Peso imballo PL4	560
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+