Scheda tecnica



GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 3/4 90

1154776



Informazioni GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 3/4 90

1154776



Product code

Item no EAN	7611205456405
Item no GF	770536205
Item no GTIN	07611205456405
Item no RSK	1363785
Item no VVS	004536406

Dimensioni

Altezza unità articolo	38
Lunghezza unità articolo	38
Peso unitario dell'articolo	0,166
Larghezza unità articolo	90
Item_UOM	St.

Measurements

LUNGHEZZA_L	90
Z Measurement a	57
Misurazione Z b	90
Misura Z d	3/4

Packaging

GTIN imballaggio PL1	07611205256401
GTIN imballaggio PL4	06414900239059
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	60

Quantità imballo PL4	3240
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	10,192
Peso imballo PL4	558,812
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+