Scheda tecnica



GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 1 1/4 116

1154778



Informazioni GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato

Specifiche

- With their extensive history and tradition, malleable cast iron fittings are the most common pipe fittings. Because of their durability and mechanical strength, these fittings are very popular. The material is able to endure high mechanical stress and when combined with the standardized jointing method can be used in a wide range of applications.

Application

- Sanitary, heating and gas installation, mechanical engineering (oil, cool pipework), construction of petrol stations (gas lines), sprinkler

GF Malleable Fittings 536 - raccordo lungo filettato manicotto, zincato 1 1/4 116

1154778



Product code

Item no EAN	7611205456429
Item no GF	770536207
Item no GTIN	07611205456429
Item no RSK	1363787
Item no VVS	004536410

Dimensioni

Altezza unità articolo	55
Lunghezza unità articolo	55
Peso unitario dell'articolo	0,395
Larghezza unità articolo	116
Item_UOM	St.

Measurements

LUNGHEZZA_L	116
Z Measurement a	75
Misurazione Z b	116
Misura Z d	1 1/4

Packaging

GTIN imballaggio PL1	07611205256425
GTIN imballaggio PL4	06414900239035
Altezza imballo PL1	200
Altezza imballo PL4	729
Lunghezza imballo PL1	260
Lunghezza imballo PL4	1200
Quantità imballo PL1	25

Quantità imballo PL4	1350
Tipo di imballaggio PL1	Base_Box
Tipo di imballaggio PL4	Pallet
Volume di imballaggio PL1	0,00988
Volume di imballaggio PL4	0,69984
Peso imballo PL1	10,089
Peso imballo PL4	553,25
Larghezza imballo PL1	190
Larghezza imballo PL4	800

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+