Scheda tecnica



GF JRG Sanipex MT controchiave 16

1158034

- Materiale: acciaio



Informazioni GF JRG Sanipex MT controchiave

Specifiche

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threated connections are detachable and reusable.

Application

High-Pressure Malleable Iron Fittings

GF JRG Sanipex MT controchiave 16

1158034



Product code

Item no EAN	7613263030870
Item no GF	351616010
Item no GTIN	07613263030870
Item no LVI	1749309
Item no RSK	1874270

Dimensioni

Altezza unità articolo	5
Lunghezza unità articolo	150
Peso unitario dell'articolo	0,05
Larghezza unità articolo	30
Item_UOM	St.

Measurements

LUNGHEZZA_L	157
Misurazione Z b	27

Packaging

GTIN imballaggio PL1	06414900237406
Altezza imballo PL1	80
Lunghezza imballo PL1	180
Materiale di imballaggio (numero) PL1	04
Packaging Material PL1	plastic film / film plastico
Materiale di imballaggio (breve) PL1	PELD
Quantità imballo PL1	1
Tipo di imballaggio PL1	Pouch
Volume di imballaggio PL1	0,0000225
Peso imballo PL1	0,057
Larghezza imballo PL1	130

Informazioni tecniche

Recycling Text Block PL1	plastic film / film plastico

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+