Scheda tecnica



GF JRG Sanipex MT controchiave 63

1158519

- Materiale: acciaio



Informazioni GF JRG Sanipex MT controchiave

Specifiche

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threated connections are detachable and reusable.

Application

High-Pressure Malleable Iron Fittings

GF JRG Sanipex MT controchiave 63

1158519



Product code

Item no EAN	7613263027559
Item no GF	351663210
Item no GTIN	07613263027559
Item no LVI	1749315
Item no RSK	1880201

Dimensioni

Altezza unità articolo	11
Lunghezza unità articolo	453
Peso unitario dell'articolo	0,5
Larghezza unità articolo	127
Item_UOM	St.

Measurements

LUNGHEZZA_L	453
Misurazione Z b	127

Packaging

GTIN imballaggio PL1	06414900066792
Altezza imballo PL1	150
Lunghezza imballo PL1	550
Materiale di imballaggio (numero) PL1	04
Packaging Material PL1	plastic film / film plastico
Materiale di imballaggio (breve) PL1	PELD
Quantità imballo PL1	1
Tipo di imballaggio PL1	Pouch
Volume di imballaggio PL1	0,000632841
Peso imballo PL1	0,546
Larghezza imballo PL1	350

Informazioni tecniche

Recycling Text Block PL1	plastic film / film plastico

Documenti tecnici

Download documenti

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Georg Fischer Rohrleitungssysteme (Schweiz) AG

Amsler-Laffon-Strasse 9
8200, Schaffhausen
Schweiz

T +41 52 631 30 26
E ch.ps@georgfischer.com

+GF+